

Package: ovpaged (via r-universe)

August 24, 2024

Title Openvolley Pagedown Templates

Version 0.1.0

Description Pagedown templates for the Openvolley project.

License MIT + file LICENSE

Imports pagedown

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.1

Suggests covr, knitr, rmarkdown, testthat

VignetteBuilder knitr

Repository <https://openvolley.r-universe.dev>

RemoteUrl <https://github.com/openvolley/ovpaged>

RemoteRef HEAD

RemoteSha 266023e52d406b249db190ef182aa5b6ab06b38f

Contents

ovpaged	1
poster	2
simple	2

Index	4
--------------	----------

ovpaged	ovpaged
---------	----------------

Description

Pagedown templates for the Openvolley project.

poster

Posterdown HTML format (using pagedown::poster_relaxed)

Description

Posterdown HTML format (using pagedown::poster_relaxed)

Usage

```
poster(  
  ...,  
  template = pkg_resource("html", "template_poster.html"),  
  css = NULL  
)
```

Arguments

...	Additional arguments to <code>pagedown::poster_relaxed()</code>
template	string: as for <code>pagedown::html_paged()</code>
css	string: additional css

Value

R Markdown output format to pass to `rmarkdown::render()`

Examples

```
## Not run:  
myfile <- tempfile(fileext = ".Rmd")  
rmarkdown::draft(myfile, template = "poster", package = "ovpaged")  
  
## End(Not run)
```

simple*Simple paged report template*

Description

Simple paged report template

Usage

```

simple(
  css = NULL,
  orientation = "portrait",
  autolink_bare_uris = FALSE,
  striped = TRUE,
  auto_table_breaks = TRUE,
  hide_page_numbers = FALSE,
  ...
)

plain(
  css = NULL,
  autolink_bare_uris = FALSE,
  striped = TRUE,
  auto_table_breaks = TRUE,
  ...
)

```

Arguments

css	string: additional css
orientation	string: "portrait" or "landscape" (experimental)
autolink_bare_uris	logical: if TRUE, convert absolute URIs into links, even when not surrounded by pointy braces <...>. It is set to FALSE by default here so that the header-image parameter in the document YAML is not converted. This is equivalent to specifying md_extensions: -autolink_bare_uris in the document YAML directly
striped	logical: if TRUE, include css that makes table rows striped
auto_table_breaks	logical: if TRUE, automatically break tables across pages
hide_page_numbers	logical: if TRUE, hide page numbers
...	: passed to <code>pagedown::html_paged()</code>

Value

A pagedown template

Index

ovpaged, 1

pagedown::html_paged(), 2, 3

pagedown::poster_relaxed(), 2

plain(simple), 2

poster, 2

rmarkdown::render(), 2

simple, 2